

Papua Expeditions check-list of the birds of Papua

Version 1.5, October 1, 2010

Below we present a simple species-level check-list of the birds reliably recorded from Papua or Indonesian New Guinea up to December 31, 2009. We define Papua or Indonesian New Guinea as the region encompassed by the western half of the subcontinental island of New Guinea up to the border with Papua New Guinea at 141° longitude, plus the following groups of satellite islands: (1) the Raja Ampat archipelago (until recently generally referred to as the West Papuan Islands), including the main islands of Waigeo, Batanta, Salawati, Misool, Kofiau and Gebe; (2) the Geelvink Islands (also known as the Schouten Islands), including the main islands of Biak-Supiori, Numfor and Yapen; and (3) the Aru Islands.

The entire area under consideration here thus lies within the Republic of Indonesia, and with the exception of Gebe and Aru, which geopolitically are part of the Moluccas, conforms to the Papua Special Autonomous Region. We further follow the delineation of the New Guinea or 'Papuan' region as proposed initially by Mayr (1941), and perpetuated by Rand and Gilliard (1967), Beehler *et al.* (1986), and Diamond *et al.* (2009). Classification, taxonomy and nomenclature generally follow Sibley and Monroe (1990; 1993), with detailed annotation of present deviations in species-level taxonomy and vernacular naming envisaged for future updates of this check-list. We indicate these author's orders, families, subfamilies and/or tribes, but omitted their suborders, infraorders, parvorders and/or superfamilies for the sake of simplicity. For taxa belonging to superspecies or allospecies, who's treatment at species level is not widely accepted, we have encoded this by the use of scientific trinomials and square bracketing of the binomen.

We list 677 bird species as having reliably been recorded in Indonesian Papua up to December 31, 2009. These include 43 Papua endemics, 276 regional New Guinea endemics, 252 widespread residents (at least 11 of which also have visiting migratory populations not included again in the ensuing category), 76 regular migrants, 29 vagrants, and a single recently introduced yet poorly established species.

Struthioniformes > Casuariidae > Casuariini

Cassowaries (1 genus / 3 species)

Southern Cassowary	<i>Casuarius casuarius</i>	Resident
Dwarf Cassowary	<i>Casuarius bennetti</i>	Resident
Northern Cassowary	<i>Casuarius unappendiculatus</i>	New Guinea endemic

Craciformes > Megapodiidae

Megapodes (4 genera / 10 species)

Wattled Brush-turkey	<i>Aepyodius arfakianus</i>	New Guinea endemic
Bruijn's Brush-turkey	<i>Aepyodius bruijnii</i>	Papua endemic
Red-billed Talegalla	<i>Talegalla cuvieri</i>	Papua endemic
Black-billed Talegalla	<i>Talegalla fuscirostris</i>	New Guinea endemic
Brown-collared Talegalla	<i>Talegalla jobiensis</i>	New Guinea endemic
Orange-footed Megapode	<i>Megapodius [freycinet] reinwardt</i>	Resident
Dusky Megapode	<i>Megapodius [freycinet] freycinet</i>	Resident
Biak Megapode	<i>Megapodius [freycinet] geelvinkianus</i>	Papua endemic
New Guinea Megapode	<i>Megapodius [freycinet] affinis</i>	New Guinea endemic
Moluccan Megapode	<i>Eulipoa wallacei</i>	Resident

Galliformes > Phasianidae

Quails (2 genera / 3 species)

Brown Quail	<i>Coturnix ypsilophora</i>	Resident
Blue-breasted Quail	<i>Coturnix chinensis</i>	Resident
Snow Mountain Quail	<i>Anurophasis monorhonyx</i>	New Guinea endemic

Anseriformes > Anseranatidae

Magpie-Goose (monotypic family)

Magpie Goose	<i>Anseranas semipalmata</i>	Resident/Migrant
--------------	------------------------------	------------------

Anseriformes > Dendrocygnidae

Whistling-Ducks (1 genus / 3 species)

Spotted Whistling-Duck	<i>Dendrocygna guttata</i>	Resident
Plumed Whistling-Duck	<i>Dendrocygna eytoni</i>	Vagrant
Wandering Whistling-Duck	<i>Dendrocygna [bicolor] arcuata</i>	Resident

Anseriformes > Anatidae > Cygninae

Swans (1 genus / 1 species)

Black Swan	<i>Cygnus atratus</i>	Vagrant
------------	-----------------------	---------

Anseriformes > Anatidae > Anatinae

Typical Ducks (4 genera / 8 species)

Radjah Shelduck	<i>Tadorna radjah</i>	Resident
Green Pygmy-goose	<i>Nettapus pulchellus</i>	Resident
Salvadori's Teal	<i>Anas waigiensis</i>	New Guinea endemic
Eurasian Wigeon	<i>Anas penelope</i>	Vagrant
Pacific Black Duck	<i>Anas superciliosa</i>	Resident
Grey Teal	<i>Anas gracilis</i>	Resident
Garganey	<i>Anas querquedula</i>	Migrant
Hardhead	<i>Aythya australis</i>	Migrant; breeds irruptively

Turniciformes > Turnicidae

Buttonquails (1 genus / 1 species)

Red-backed Buttonquail	<i>Turnix maculosa</i>	Resident
------------------------	------------------------	----------

Bucerotiformes > Bucerotidae

Typical Hornbills (1 genus / 1 species)

Blyth's Hornbill	<i>Aceros plicatus</i>	Resident
------------------	------------------------	----------

Coraciiformes > Coraciidae

Typical Rollers (1 genus / 1 species)

Dollarbird	<i>Eurystomus orientalis</i>	Resident/Migrant
------------	------------------------------	------------------

Coraciiformes > Alcedinidae

Alcedinid Kingfishers (2 genera / 4 species)

Common Kingfisher	<i>Alcedo atthis</i>	Resident
Azure Kingfisher	<i>Alcedo azurea</i>	Resident
Little Kingfisher	<i>Alcedo pusilla</i>	Resident
Variable Dwarf Kingfisher	<i>Ceyx lepidus</i>	Resident

Coraciiformes > Dacelonidae

Halcyonid Kingfishers (6 genera / 19 species)

Blue-winged Kookaburra	<i>Dacelo leachii</i>	Resident
Spangled Kookaburra	<i>Dacelo tyro</i>	New Guinea endemic
Rufous-bellied Kookaburra	<i>Dacelo gaudichaud</i>	New Guinea endemic
Shovel-billed Kookaburra	<i>Clytoceyx rex</i>	New Guinea endemic
Blue-black Kingfisher	<i>Todiramphus nigrocyaneus</i>	New Guinea endemic
Forest Kingfisher	<i>Todiramphus macleayii</i>	Migrant
Collared Kingfisher	<i>Todiramphus chloris</i>	Resident
Beach Kingfisher	<i>Todiramphus saurophaga</i>	Resident
Sacred Kingfisher	<i>Todiramphus sanctus</i>	Resident
Hook-billed Kingfisher	<i>Melidora macrorrhina</i>	New Guinea endemic
Yellow-billed Kingfisher	<i>Syma torotoro</i>	Resident

Mountain Kingfisher	<i>Syma megarhyncha</i>	New Guinea endemic
Little Paradise-Kingfisher	<i>Tanysiptera hydrocharis</i>	New Guinea endemic
Common Paradise-Kingfisher	<i>Tanysiptera galatea</i>	Resident
Kofiau Paradise-Kingfisher	<i>Tanysiptera [galatea] ellioti</i>	Papua endemic
Biak Paradise-Kingfisher	<i>Tanysiptera [galatea] riedelii</i>	Papua endemic
Numfor Paradise-Kingfisher	<i>Tanysiptera carolinae</i>	Papua endemic
Red-breasted Paradise-Kingfisher	<i>Tanysiptera nympha</i>	New Guinea endemic
Buff-breasted Paradise-Kingfisher	<i>Tanysiptera sylvia</i>	Resident/Migrant

Coraciiformes > Meropidae

Bee-eaters (1 genus / 2 species)

Blue-tailed Bee-eater	<i>Merops philippinus</i>	Resident
Rainbow Bee-eater	<i>Merops ornatus</i>	Migrant

Cuculiformes > Cuculidae

Old World Cuckoos (8 genera / 17 species)

Oriental Cuckoo	<i>Cuculus saturatus</i>	Migrant
Pallid Cuckoo	<i>Cuculus pallidus</i>	Vagrant
Brush Cuckoo	<i>Cacomantis variolosus</i>	Resident/Migrant
Chestnut-breasted Cuckoo	<i>Cacomantis castaneiventris</i>	Resident
Fan-tailed Cuckoo	<i>Cacomantis flabelliformis</i>	Resident
Long-billed Cuckoo	<i>Rhamphomantis megarhynchus</i>	New Guinea endemic
Little Bronze-Cuckoo	<i>Chrysococcyx minutillus</i>	Resident
Gould's Bronze-Cuckoo	<i>Chrysococcyx russatus</i>	Resident
Shining Bronze-Cuckoo	<i>Chrysococcyx lucidus</i>	Migrant
Horsfield's Bronze-Cuckoo	<i>Chrysococcyx basalis</i>	Vagrant
Rufous-throated Bronze-Cuckoo	<i>Chrysococcyx ruficollis</i>	New Guinea endemic
White-eared Bronze-Cuckoo	<i>Chrysococcyx meyeri</i>	New Guinea endemic
Black-eared Cuckoo	<i>Chrysococcyx osculans</i>	Vagrant
White-crowned Koel	<i>Caliechthrus leucolophus</i>	New Guinea endemic
Dwarf Koel	<i>Microdynamis parva</i>	New Guinea endemic
Asian Koel	<i>Eudynamis [scolopacea] scolopacea</i>	Resident
Channel-billed Cuckoo	<i>Scythrops novaehollandiae</i>	Migrant

Cuculiformes > Centropodidae

Coucals (1 genus / 4 species)

Greater Black Coucal	<i>Centropus menbeki</i>	New Guinea endemic
Pheasant Coucal	<i>Centropus phasianinus</i>	Resident
Lesser Black Coucal	<i>Centropus bernsteini</i>	New Guinea endemic
Biak Coucal	<i>Centropus chalybeus</i>	Papua endemic

Psittaciformes > Psittacidae

Parrots (22 genera / 43 species)

Black Lory	<i>Chalcopsitta atra</i>	Papua endemic
Brown Lory	<i>Chalcopsitta duivenbodei</i>	New Guinea endemic
Yellow-streaked Lory	<i>Chalcopsitta sintillata</i>	New Guinea endemic
Violet-necked Lory	<i>Eos squamata</i>	Resident
Black-winged Lory	<i>Eos cyanogenia</i>	Papua endemic
Dusky Lory	<i>Pseudeos fuscata</i>	New Guinea endemic
Rainbow Lorikeet	<i>Trichoglossus haematodus</i>	Resident
Goldie's Lorikeet	<i>Psitteuteles goldiei</i>	New Guinea endemic
Black-capped Lory	<i>Lorius lory</i>	New Guinea endemic
Striated Lorikeet	<i>Charmosyna multistriata</i>	New Guinea endemic
Pygmy Lorikeet	<i>Charmosyna wilhelminae</i>	New Guinea endemic
Red-fronted Lorikeet	<i>Charmosyna rubronotata</i>	New Guinea endemic
Red-flanked Lorikeet	<i>Charmosyna placentis</i>	New Guinea endemic
Fairy Lorikeet	<i>Charmosyna pulchella</i>	New Guinea endemic
Josephine's Lorikeet	<i>Charmosyna josefinae</i>	New Guinea endemic
Papuan Lorikeet	<i>Charmosyna papua</i>	New Guinea endemic
Whiskered Lorikeet	<i>Oreopsittacus arfaki</i>	New Guinea endemic
Yellow-billed Lorikeet	<i>Neopsittacus musschenbroekii</i>	New Guinea endemic
Orange-billed Lorikeet	<i>Neopsittacus pullicauda</i>	New Guinea endemic

Palm Cockatoo	<i>Probosciger aterrimus</i>	Resident
Sulphur-crested Cockatoo	<i>Cacatua galerita</i>	Resident
Little Corella	<i>Cacatua sanguinea</i>	Resident
Yellow-capped Pygmy-Parrot	<i>Micropsitta keiensis</i>	Resident
Geelvink Pygmy-Parrot	<i>Micropsitta geelvinkiana</i>	Papua endemic
Buff-faced Pygmy-Parrot	<i>Micropsitta pusio</i>	New Guinea endemic
Red-breasted Pygmy-Parrot	<i>Micropsitta bruijnii</i>	Resident
Orange-breasted Fig-Parrot	<i>Cyclopsitta gulelmitertii</i>	New Guinea endemic
Double-eyed Fig-Parrot	<i>Cyclopsitta diophthalma</i>	Resident
Large Fig-Parrot	<i>Psittaculirostris desmarestii</i>	New Guinea endemic
Edwards' Fig-Parrot	<i>Psittaculirostris edwardsii</i>	New Guinea endemic
Salvadori's Fig-Parrot	<i>Psittaculirostris salvadorii</i>	Papua endemic
Brehm's Tiger-Parrot	<i>Psittacella brehmii</i>	New Guinea endemic
Painted Tiger-Parrot	<i>Psittacella picta</i>	New Guinea endemic
Modest Tiger-Parrot	<i>Psittacella modesta</i>	New Guinea endemic
Madarasz's Tiger-Parrot	<i>Psittacella madaraszii</i>	New Guinea endemic
Red-cheeked Parrot	<i>Geoffroyus geoffroyi</i>	Resident
Blue-collared Parrot	<i>Geoffroyus simplex</i>	New Guinea endemic
Great-billed Parrot	<i>Tanygnathus megalorynchos</i>	Resident
Eclectus Parrot	<i>Eclectus roratus</i>	Resident
Pesquet's Parrot	<i>Psittichas fulgidus</i>	New Guinea endemic
Moluccan King-Parrot	<i>Alisterus amboinensis</i>	Resident
Papuan King-Parrot	<i>Alisterus chloropterus</i>	New Guinea endemic
Red-winged Parrot	<i>Aprosmictus erythropterus</i>	Resident
Orange-fronted Hanging-Parrot	<i>Loriculus aurantiifrons</i>	New Guinea endemic

Apodiformes > Apodidae > Apodinae > Collocalini

Swiftlets (2 genera / 5 species)

Glossy Swiftlet	<i>Collocalia esculenta</i>	Resident
Mountain Swiftlet	<i>Aerodramus hirundinacea</i>	New Guinea endemic
Bare-legged Swiftlet	<i>Aerodramus nuditarus</i>	New Guinea endemic
Uniform Swiftlet	<i>Aerodramus vanikorensis</i>	Resident
Papuan Swiftlet	<i>Aerodramus papuensis</i>	New Guinea endemic

Apodiformes > Apodidae > Apodinae > Chaeturini

Needletails (2 genera / 2 species)

Papuan Needletail	<i>Mearnsia novaeguineae</i>	New Guinea endemic
White-throated Needletail	<i>Hirundapus caudacutus</i>	Migrant

Apodiformes > Apodidae > Apodinae > Apodini

Typical Swifts (1 genus / 1 species)

Fork-tailed Swift	<i>Apus pacificus</i>	Migrant
-------------------	-----------------------	---------

Apodiformes > Hemiprocnidae

Treeswifts (1 genus / 1 species)

Moustached Treeswift	<i>Hemiprocne mystacea</i>	Resident
----------------------	----------------------------	----------

Strigiformes > Tytonidae

Barn and Grass Owls (1 genus / 4 species)

Sooty Owl	<i>Tyto tenebricosa</i>	Resident
Australian Masked Owl	<i>Tyto novaehollandiae</i>	Resident
Barn Owl	<i>Tyto alba</i>	Resident
Eastern Grass Owl	<i>Tyto longimembris</i>	Resident

Strigiformes > Strigidae

Typical Owls (3 genera / 6 species)

Beccari's Scops Owl	<i>Otus [magicus] beccarii</i>	Papua endemic
Rufous Owl	<i>Ninox rufa</i>	Resident
Barking Owl	<i>Ninox connivens</i>	Resident
Southern Boobook	<i>Ninox novaeseelandiae</i>	Resident

Jungle Hawk-Owl	<i>Ninox theomacha</i>	New Guinea endemic
Papuan Hawk-Owl	<i>Uroglaux dimorpha</i>	New Guinea endemic

Strigiformes > Aegothelidae

Owlet-Nightjars (1 genus / 6 species)

Large Owlet-Nightjar	<i>Aegotheles insignis</i>	New Guinea endemic
Australian Owlet-Nightjar	<i>Aegotheles cristatus</i>	Resident
Barred Owlet-Nightjar	<i>Aegotheles bennettii</i>	New Guinea endemic
Wallace's Owlet-Nightjar	<i>Aegotheles wallacii</i>	New Guinea endemic
Archbold's Owlet-Nightjar	<i>Aegotheles archboldi</i>	New Guinea endemic
Mountain Owlet-Nightjar	<i>Aegotheles albertisi</i>	New Guinea endemic

Strigiformes > Podargidae

Australian Frogmouths (1 genus / 2 species)

Papuan Frogmouth	<i>Podargus papuensis</i>	Resident
Marbled Frogmouth	<i>Podargus ocellatus</i>	Resident

Strigiformes > Eurostopodidae

'Eared'-Nightjars (1 genus / 4 species)

Spotted Nightjar	<i>Eurostopodus argus</i>	Migrant
White-throated Nightjar	<i>Eurostopodus mystacalis</i>	Migrant
Papuan Nightjar	<i>Eurostopodus papuensis</i>	New Guinea endemic
Archbold's Nightjar	<i>Eurostopodus archboldi</i>	New Guinea endemic

Strigiformes > Caprimulgidae > Caprimulginae

Nightjars (1 genus / 2 species)

Grey Nightjar	<i>Caprimulgus indicus</i>	Vagrant
Large-tailed Nightjar	<i>Caprimulgus macrurus</i>	Resident

Columbiformes > Columbidae

Pigeons, Doves (14 genera / 43 species)

Metallic Pigeon	<i>Columba vitiensis</i>	Resident
Slender-billed Cuckoo-Dove	<i>Macropygia amboinensis</i>	Resident
Black-billed Cuckoo-Dove	<i>Macropygia nigrirostris</i>	Resident
Great Cuckoo-Dove	<i>Reinwardtoena reinwardtii</i>	Resident
Emerald Dove	<i>Chalcophaps indica</i>	Resident
Stephan's Dove	<i>Chalcophaps stephani</i>	Resident
New Guinea Bronzewing	<i>Henicophaps albifrons</i>	New Guinea endemic
Peaceful Dove	<i>Geopelia placida</i>	Resident
Bar-shouldered Dove	<i>Geopelia humeralis</i>	Resident
Nicobar Pigeon	<i>Caloenas nicobarica</i>	Resident
Cinnamon Ground-Dove	<i>Gallinolumba rufigula</i>	New Guinea endemic
White-bibbed Ground-Dove	<i>Gallinolumba jobiensis</i>	New Guinea endemic
Bronze Ground-Dove	<i>Gallinolumba beccarii</i>	Resident
Thick-billed Ground-Pigeon	<i>Trugon terrestris</i>	New Guinea endemic
Pheasant Pigeon	<i>Otidiphaps nobilis</i>	New Guinea endemic
Wompoo Fruit-Dove	<i>Ptilinopus magnificus</i>	Resident
Pink-spotted Fruit-Dove	<i>Ptilinopus perlatus</i>	New Guinea endemic
Ornate Fruit-Dove	<i>Ptilinopus ornatus</i>	New Guinea endemic
Orange-fronted Fruit-Dove	<i>Ptilinopus aurantifrons</i>	New Guinea endemic
Wallace's Fruit-Dove	<i>Ptilinopus wallacii</i>	Resident
Superb Fruit-Dove	<i>Ptilinopus superbus</i>	Resident
Coroneted Fruit-Dove	<i>Ptilinopus coronulatus</i>	New Guinea endemic
Beautiful Fruit-Dove	<i>Ptilinopus pulchellus</i>	New Guinea endemic
Rose-crowned Fruit-Dove	<i>Ptilinopus regina</i>	Resident
White-bibbed Fruit-Dove	<i>Ptilinopus rivoli</i>	Resident
Yellow-bibbed Fruit-Dove	<i>Ptilinopus solomonensis</i>	Resident
Claret-breasted Fruit-Dove	<i>Ptilinopus viridis</i>	Resident
Orange-bellied Fruit-Dove	<i>Ptilinopus iozonus</i>	New Guinea endemic
Dwarf Fruit-Dove	<i>Ptilinopus naina</i>	New Guinea endemic
Spectacled Imperial-Pigeon	<i>Ducula perspicillata</i>	Resident

Elegant Imperial-Pigeon	<i>Ducula concinna</i>	Resident
Spice Imperial-Pigeon	<i>Ducula myristicivora</i>	Papua endemic
Purple-tailed Imperial-Pigeon	<i>Ducula rufigaster</i>	New Guinea endemic
Shining Imperial-Pigeon	<i>Ducula chalconota</i>	New Guinea endemic
Pinon Imperial-Pigeon	<i>Ducula pinon</i>	New Guinea endemic
Collared Imperial-Pigeon	<i>Ducula mullerii</i>	New Guinea endemic
Banded Imperial-Pigeon	<i>Ducula zoeae</i>	New Guinea endemic
Pied Imperial-Pigeon	<i>Ducula [bicolor] bicolor</i>	Resident
Torresian Imperial-Pigeon	<i>Ducula [bicolor] spilorrhoea</i>	Resident
Papuan Mountain-Pigeon	<i>Gymnophaps albertisii</i>	Resident
Western Crowned-Pigeon	<i>Goura cristata</i>	Papua endemic
Victoria Crowned-Pigeon	<i>Goura victoria</i>	New Guinea endemic
Southern Crowned-Pigeon	<i>Goura scheepmakeri</i>	New Guinea endemic

Gruiformes > Otididae

Bustards (1 genus / 1 species)

Australian Bustard	<i>Ardeotis australis</i>	Resident
--------------------	---------------------------	----------

Gruiformes > Gruidae > Gruinea

Typical Cranes (1 genus / 1 species)

Brolga	<i>Grus rubicunda</i>	Resident
--------	-----------------------	----------

Gruiformes > Rallidae

Rails, Gallinules, Coots (11 genera / 18 species)

Chestnut Forest-Rail	<i>Rallina rubra</i>	New Guinea endemic
White-striped Forest-Rail	<i>Rallina leucospila</i>	Papua endemic
Forbes' Forest-Rail	<i>Rallina forbesi</i>	New Guinea endemic
Mayr's Forest-Rail	<i>Rallina mayri</i>	New Guinea endemic
Red-necked Crake	<i>Rallina tricolor</i>	Resident
Barred Rail	<i>Gallirallus torquatus</i>	Resident
Buff-banded Rail	<i>Gallirallus philippensis</i>	Resident
Lewin's Rail	<i>Lewinia pectoralis</i>	Resident
Bare-eyed Rail	<i>Gymnocrex plumbeiventris</i>	Resident
Rufous-tailed Bush-hen	<i>Amaurornis [olivaceus] moluccanus</i>	Resident
Baillon's Crake	<i>Porzana pusilla</i>	Resident
Spotless Crake	<i>Porzana tabuensis</i>	Resident
White-browed Crake	<i>Porzana cinerea</i>	Resident
Chestnut Rail	<i>Eulabeornis castaneoventris</i>	Resident
New Guinea Flightless Rail	<i>Megacrex inepta</i>	New Guinea endemic
Purple Swampphen	<i>Porphyrio porphyrio</i>	Resident
Dusky Moorhen	<i>Gallinula tenebrosa</i>	Resident
Eurasian Coot	<i>Fulica atra</i>	Resident

Ciconiiformes > Scolopacidae > Scolopacinae

Woodcocks, Snipes (2 genera / 3 species)

New Guinea Woodcock	<i>Scolopax [saturata] rosenbergii</i>	New Guinea endemic
Latham's Snipe	<i>Gallinago hardwickii</i>	Migrant
Swinhoe's Snipe	<i>Gallinago megala</i>	Migrant

Ciconiiformes > Scolopacidae > Tringinae

Godwits, Curlews, Sandpipers, Phalaropes (7 genera / 25 species)

Black-tailed Godwit	<i>Limosa limosa</i>	Migrant
Bar-tailed Godwit	<i>Limosa lapponica</i>	Migrant
Little Curlew	<i>Numenius minutus</i>	Migrant
Whimbrel	<i>Numenius phaeopus</i>	Migrant
Far Eastern Curlew	<i>Numenius madagascariensis</i>	Migrant
Common Redshank	<i>Tringa totanus</i>	Vagrant
Marsh Sandpiper	<i>Tringa stagnatilis</i>	Migrant
Common Greenshank	<i>Tringa nebularia</i>	Migrant
Green Sandpiper	<i>Tringa ochropus</i>	Vagrant
Wood Sandpiper	<i>Tringa glareola</i>	Migrant

Terek Sandpiper	<i>Tringa cinerea</i>	Migrant
Common Sandpiper	<i>Tringa hypoleucos</i>	Migrant
Grey-tailed Tattler	<i>Tringa brevipes</i>	Migrant
Wandering Tattler	<i>Tringa incana</i>	Migrant
Ruddy Turnstone	<i>Arenaria interpres</i>	Migrant
Great Knot	<i>Calidris tenuirostris</i>	Migrant
Red Knot	<i>Calidris canutus</i>	Migrant
Sanderling	<i>Calidris alba</i>	Migrant
Red-necked Stint	<i>Calidris ruficollis</i>	Migrant
Long-toed Stint	<i>Calidris subminuta</i>	Migrant
Pectoral Sandpiper	<i>Calidris melanotos</i>	Vagrant
Sharp-tailed Sandpiper	<i>Calidris acuminata</i>	Migrant
Curlew Sandpiper	<i>Calidris ferruginea</i>	Migrant
Broad-billed Sandpiper	<i>Limicola falcinellus</i>	Migrant
Red-necked Phalarope	<i>Phalaropus lobatus</i>	Migrant

Ciconiiformes > Jacanidae

Jacanas (1 genus / 1 species)

Comb-crested Jacana	<i>Irediparra gallinacea</i>	Resident
---------------------	------------------------------	----------

Ciconiiformes > Burhinidae

Thick-knees (1 genus / 2 species)

Bush Thick-knee	<i>Burhinus grallarius</i>	Resident
Beach Thick-knee	<i>Esacus neglectus</i>	Resident

Ciconiiformes > Charadriidae > Recurvirostrinae > Haematopodini

Oystercatchers (1 genus / 1 species)

Pied Oystercatcher	<i>Haematopus longirostris</i>	Resident/Migrant
--------------------	--------------------------------	------------------

Ciconiiformes > Charadriidae > Recurvirostrinae > Recurvirostrini

Avocets, Stilts (2 genera / 2 species)

Australian Avocet	<i>Recurvirostra novaehollandiae</i>	Vagrant
White-headed Stilt	<i>Himantopus [himantopus] leucocephalus</i>	Resident

Ciconiiformes > Charadriidae > Charadriinae

Plovers, Dotterels, Lapwings (4 genera / 9 species)

Pacific Golden Plover	<i>Pluvialis fulva</i>	Migrant
Grey Plover	<i>Pluvialis squatarola</i>	Migrant
Little Ringed Plover	<i>Charadrius dubius</i>	Resident
Red-capped Plover	<i>Charadrius [alexandrinus] ruficapillus</i>	Vagrant
Mongolian Plover	<i>Charadrius mongolus</i>	Migrant
Greater Sand Plover	<i>Charadrius leschenaultii</i>	Migrant
Oriental Plover	<i>Charadrius veredus</i>	Vagrant
Red-kneed Dotterel	<i>Erythrogonys cinctus</i>	Migrant
Masked Lapwing	<i>Vanellus miles</i>	Resident

Ciconiiformes > Glareolidae > Glareolinae

Pratincoles (2 genera / 2 species)

Oriental Pratincole	<i>Glareola maldivarum</i>	Migrant
Australian Pratincole	<i>Stiltia isabella</i>	Resident/Migrant

Ciconiiformes > Laridae > Larinae > Stercorariini

Skuas, Jaegers (1 genus / 1 species)

Pomarine Skua	<i>Stercorarius pomarinus</i>	Migrant
---------------	-------------------------------	---------

Ciconiiformes > Laridae > Larinae > Larini

Gulls (1 genus / 2 species)

Silver Gull	<i>Larus novaehollandiae</i>	Vagrant
Black-headed Gull	<i>Larus ridibundus</i>	Vagrant

Ciconiiformes > Laridae > Larinae > Sternini

Terns (4 genera / 16 species)

Gull-billed Tern	<i>Sterna nilotica</i>	Migrant
Caspian Tern	<i>Sterna caspia</i>	Migrant
Great Crested-Tern	<i>Sterna bergii</i>	Resident
Lesser Crested-Tern	<i>Sterna bengalensis</i>	Resident
Roseate Tern	<i>Sterna dougallii</i>	Resident
Black-naped Tern	<i>Sterna sumatrana</i>	Resident
Common Tern	<i>Sterna hirundo</i>	Resident
Little Tern	<i>Sterna albifrons</i>	Migrant
Grey-backed Tern	<i>Sterna lunata</i>	Vagrant
Bridled Tern	<i>Sterna anaethetus</i>	Resident
Sooty Tern	<i>Sterna fuscata</i>	Resident
Whiskered Tern	<i>Chlidonias hybridus</i>	Migrant
White-winged Tern	<i>Chlidonias leucopterus</i>	Migrant
Brown Noddy	<i>Anous stolidus</i>	Resident
Black Noddy	<i>Anous minutus</i>	Resident
Fairy Tern	<i>Gygis alba</i>	Resident

Ciconiiformes > Accipitridae > Pandioninae

Osprey (monotypic family)

Osprey	<i>Pandion haliaetus</i>	Resident
--------	--------------------------	----------

Ciconiiformes > Accipitridae > Accipitrinae

Hawks, Eagles (14 genera / 24 species)

Pacific Baza	<i>Aviceda subcristata</i>	Resident
Long-tailed Buzzard	<i>Henicopernis longicauda</i>	New Guinea endemic
Bat Hawk	<i>Macheiramphus alcinus</i>	Resident
Black-winged Kite	<i>Elanus caeruleus</i>	Resident
Black Kite	<i>Milvus migrans</i>	Resident
Whistling Kite	<i>Haliastur sphenurus</i>	Resident
Brahminy Kite	<i>Haliastur indus</i>	Resident
White-bellied Fish-Eagle	<i>Haliaeetus leucogaster</i>	Resident
Papuan Harrier	<i>Circus [spilonotus] spilothorax</i>	New Guinea endemic
Swamp Harrier	<i>Circus [aeruginosus] approximans</i>	Resident
Chinese Goshawk	<i>Accipiter soloensis</i>	Migrant
Variable Goshawk	<i>Accipiter [novaehollandiae] hiogaster</i>	Resident
Brown Goshawk	<i>Accipiter fasciatus</i>	Resident
Black-mantled Goshawk	<i>Accipiter melanochlamys</i>	New Guinea endemic
Grey-headed Goshawk	<i>Accipiter poliocephalus</i>	New Guinea endemic
Collared Sparrowhawk	<i>Accipiter cirrhocephalus</i>	Resident
Meyer's Goshawk	<i>Accipiter meyerianus</i>	Resident
Chestnut-shouldered Goshawk	<i>Erythrotriorchis buergeri</i>	New Guinea endemic
Doria's Goshawk	<i>Megatriorchis doriae</i>	New Guinea endemic
Grey-faced Buzzard	<i>Butastur indicus</i>	Migrant
New Guinea Eagle	<i>Harpyopsis novaeguineae</i>	New Guinea endemic
Gurney's Eagle	<i>Aquila gurneyi</i>	Resident
Wedge-tailed Eagle	<i>Aquila audax</i>	Resident
Little Eagle	<i>Hieraetus morphnoides</i>	Resident

Ciconiiformes > Falconidae

True Falcons (1 genus / 6 species)

Brown Falcon	<i>Falco berigora</i>	Resident
Spotted Kestrel	<i>Falco moluccensis</i>	Resident
Australian Kestrel	<i>Falco cenchroides</i>	Resident/Migrant
Oriental Hobby	<i>Falco severus</i>	Resident

Australian Hobby	<i>Falco longipennis</i>	Migrant
Peregrine Falcon	<i>Falco peregrinus</i>	Resident
<i>Ciconiiformes > Podicipedidae</i>		
Grebes (1 genus / 2 species)		
Little Grebe	<i>Tachybaptus ruficollis</i>	Resident
Australasian Grebe	<i>Tachybaptus novaehollandiae</i>	Resident
<i>Ciconiiformes > Phaethontidae</i>		
Tropicbirds (1 genus / 2 species)		
Red-tailed Tropicbird	<i>Phaethon rubricauda</i>	Vagrant
White-tailed Tropicbird	<i>Phaethon lepturus</i>	Vagrant
<i>Ciconiiformes > Sulidae</i>		
Boobies, Gannets (1 genus / 3 species)		
Masked Booby	<i>Sula dactylatra</i>	Migrant
Red-footed Booby	<i>Sula sula</i>	Migrant
Brown Booby	<i>Sula leucogaster</i>	Migrant
<i>Ciconiiformes > Anhingidae</i>		
Darters (1 genus / 1 species)		
Australian Darter	<i>Anhinga [melanogaster] novaehollandiae</i>	Resident
<i>Ciconiiformes > Phalacrocoracidae</i>		
Cormorants (1 genus / 3 species)		
Little Pied Cormorant	<i>Phalacrocorax melanoleucos</i>	Resident
Little Black Cormorant	<i>Phalacrocorax sulcirostris</i>	Resident
Great Cormorant	<i>Phalacrocorax carbo</i>	Vagrant
<i>Ciconiiformes > Ardeidae</i>		
Hérons, Bitterns, Egrets (9 genera / 16 species)		
White-faced Heron	<i>Egretta novaehollandiae</i>	Migrant
Little Egret	<i>Egretta garzetta</i>	Resident/Migrant
Pacific Reef-Egret	<i>Egretta sacra</i>	Resident
Pacific Heron	<i>Ardea pacifica</i>	Vagrant
Great-billed Heron	<i>Ardea sumatrana</i>	Resident
Pied Heron	<i>Ardea picata</i>	Resident
Great Egret	<i>Casmerodius albus</i>	Resident
Intermediate Egret	<i>Mesophoyx intermedia</i>	Resident
Cattle Egret	<i>Bubulcus ibis</i>	Resident
Striated Heron	<i>Butorides striatus</i>	Resident
Rufous Night-Heron	<i>Nycticorax caledonicus</i>	Resident
Forest Bittern	<i>Zonerodius heliosylus</i>	New Guinea endemic
Black-backed Bittern	<i>Ixobrychus [minutus] dubius</i>	Migrant
Yellow Bittern	<i>Ixobrychus sinensis</i>	Migrant
Cinnamon Bittern	<i>Ixobrychus cinnamomeus</i>	Migrant
Black Bittern	<i>Ixobrychus flavicollis</i>	Resident
<i>Ciconiiformes > Threskiornithidae</i>		
Ibises, Spoonbills (3 genera / 4 species)		
Glossy Ibis	<i>Plegadis falcinellus</i>	Migrant
Australian White Ibis	<i>Threskiornis molucca</i>	Resident
Straw-necked Ibis	<i>Threskiornis spinicollis</i>	Migrant
Royal Spoonbill	<i>Platalea regia</i>	Migrant

Ciconiiformes > Pelecanidae > Pelecaninae

Pelicans (1 genus / 1 species)

Australian Pelican	<i>Pelecanus conspicillatus</i>	Migrant
--------------------	---------------------------------	---------

Ciconiiformes > Ciconiidae

Storks (1 genus / 1 species)

Black-necked Stork	<i>Ephippiorhynchus asiaticus</i>	Resident
--------------------	-----------------------------------	----------

Ciconiiformes > Fregatidae

Frigatebirds (1 genus / 2 species)

Great Frigatebird	<i>Fregata minor</i>	Resident
Lesser Frigatebird	<i>Fregata ariel</i>	Resident

Ciconiiformes > Procellariidae > Procellariinae

Petrels, Shearwaters (4 genera / 4 species)

Tahiti Petrel	<i>Pseudobulweria becki</i>	Vagrant
Bulwer's Petrel	<i>Bulweria bulwerii</i>	Vagrant
Streaked Shearwater	<i>Calonectris leucomelas</i>	Migrant
Wedge-tailed Shearwater	<i>Puffinus pacificus</i>	Migrant

Ciconiiformes > Procellariidae > Hydrobatinae

Storm-Petrels (2 genera / 2 species)

Wilson's Storm-Petrel	<i>Oceanites oceanicus</i>	Vagrant
Matsudaira's Storm-Petrel	<i>Oceanodroma matsudairae</i>	Vagrant

Passeriformes > Pittidae

Pittas (1 genus / 3 species)

Hooded Pitta	<i>Pitta sordida</i>	Resident
Red-bellied Pitta	<i>Pitta erythrogaster</i>	Resident
Noisy Pitta	<i>Pitta versicolor</i>	Migrant

Passeriformes > Climacteridae

Australo-Papuan Treecreepers (1 genus / 1 species)

Papuan Treecreeper	<i>Cormobates placens</i>	New Guinea endemic
--------------------	---------------------------	--------------------

Passeriformes > Ptilonorhynchidae

Bowerbirds (5 genera / 10 species)

White-eared Catbird	<i>Ailuroedus buccoides</i>	New Guinea endemic
Spotted Catbird	<i>Ailuroedus melanotis</i>	Resident
Archbold's Bowerbird	<i>Archboldia [papuensis] papuensis</i>	Papua endemic
Vogelkop Bowerbird	<i>Amblyornis inornatus</i>	Papua endemic
MacGregor's Bowerbird	<i>Amblyornis macgregoriae</i>	New Guinea endemic
Golden-fronted Bowerbird	<i>Amblyornis flavifrons</i>	Papua endemic
Masked Bowerbird	<i>Sericulus [aureus] aureus</i>	New Guinea endemic
Flame Bowerbird	<i>Sericulus [aureus] ardens</i>	New Guinea endemic
Yellow-breasted Bowerbird	<i>Chlamydera lauterbachii</i>	New Guinea endemic
Fawn-breasted Bowerbird	<i>Chlamydera cerviniventris</i>	Resident

Passeriformes > Maluridae > Malurini

Fairywrens (3 genera / 5 species)

Orange-crowned Fairywren	<i>Clytomyias insignis</i>	New Guinea endemic
Wallace's Fairywren	<i>Sipodotus wallacii</i>	New Guinea endemic
Broad-billed Fairywren	<i>Malurus grayi</i>	New Guinea endemic
White-shouldered Fairywren	<i>Malurus alboscapulatus</i>	New Guinea endemic
Emperor Fairywren	<i>Malurus cyanocephalus</i>	New Guinea endemic

Passeriformes > Meliphagidae

Honeyeaters, Macgregor's 'Bird of Paradise' (19 genera / 57 species)

Red-throated Myzomela	<i>Myzomela eques</i>	New Guinea endemic
Dusky Myzomela	<i>Myzomela obscura</i>	Resident
Red Myzomela	<i>Myzomela cruentata</i>	Resident
Black Myzomela	<i>Myzomela nigrita</i>	New Guinea endemic
Mountain Myzomela	<i>Myzomela adolphinae</i>	New Guinea endemic
Red-headed Myzomela	<i>Myzomela [erythrocephala] erythrocephala</i>	Resident
Red-collared Myzomela	<i>Myzomela rosenbergii</i>	New Guinea endemic
Olive Straightbill	<i>Timeliopsis fulvigula</i>	New Guinea endemic
Tawny Straightbill	<i>Timeliopsis griseigula</i>	New Guinea endemic
Long-billed Honeyeater	<i>Melilestes mearghynchus</i>	New Guinea endemic
Green-backed Honeyeater	<i>Glycichaera fallax</i>	Resident
Olive Honeyeater	<i>Lichmera argentauris</i>	Resident
Brown Honeyeater	<i>Lichmera indistincta</i>	Resident
Silver-eared Honeyeater	<i>Lichmera alboauricularis</i>	New Guinea endemic
Forest Honeyeater	<i>Meliphaga montana</i>	New Guinea endemic
Mottle-breasted Honeyeater	<i>Meliphaga mimikae</i>	New Guinea endemic
Hill-forest Honeyeater	<i>Meliphaga orientalis</i>	New Guinea endemic
Scrub Honeyeater	<i>Meliphaga albonotata</i>	New Guinea endemic
Puff-backed Honeyeater	<i>Meliphaga aruensis</i>	New Guinea endemic
Mimic Honeyeater	<i>Meliphaga analoga</i>	New Guinea endemic
Graceful Honeyeater	<i>Meliphaga gracilis</i>	Resident
Yellow-gaped Honeyeater	<i>Meliphaga flavirictus</i>	New Guinea endemic
Black-throated Honeyeater	<i>Lichenostomus subfrenatus</i>	New Guinea endemic
Obscure Honeyeater	<i>Lichenostomus obscurus</i>	New Guinea endemic
Varied Honeyeater	<i>Lichenostomus [virescens] versicolor</i>	New Guinea endemic
Tawny-breasted Honeyeater	<i>Xanthotis flaviventer</i>	Resident
Spotted Honeyeater	<i>Xanthotis polygramma</i>	New Guinea endemic
Orange-cheeked Honeyeater	<i>Oreornis chrysogenys</i>	Papua endemic
White-throated Honeyeater	<i>Melithreptus albogularis</i>	Resident
Plain Honeyeater	<i>Pycnopygius ixoides</i>	New Guinea endemic
Marbled Honeyeater	<i>Pycnopygius cinereus</i>	New Guinea endemic
Streak-headed Honeyeater	<i>Pycnopygius stictocephalus</i>	New Guinea endemic
Meyer's Friarbird	<i>Philemon meyeri</i>	New Guinea endemic
Brass's Friarbird	<i>Philemon brassi</i>	Papua endemic
Little Friarbird	<i>Philemon citreogularis</i>	Resident
New Guinea Friarbird	<i>Philemon [bucerooides] novaeguineae</i>	Resident
Noisy Friarbird	<i>Philemon corniculatus</i>	Resident
Leaden Honeyeater	<i>Ptiloprora plumbea</i>	New Guinea endemic
Olive-streaked Honeyeater	<i>Ptiloprora meekiana</i>	New Guinea endemic
Rufous-sided Honeyeater	<i>Ptiloprora erythropleura</i>	Papua endemic
Rufous-backed Honeyeater	<i>Ptiloprora [guisei] guisei</i>	New Guinea endemic
Mayr's Honeyeater	<i>Ptiloprora [guisei] mayri</i>	New Guinea endemic
Black-backed Honeyeater	<i>Ptiloprora perstriata</i>	New Guinea endemic
Sooty Melidectes	<i>Melidectes fuscus</i>	New Guinea endemic
Short-bearded Melidectes	<i>Melidectes nouhuysi</i>	New Guinea endemic
Cinnamon-browed Melidectes	<i>Melidectes ochromelas</i>	New Guinea endemic
Vogelkop Melidectes	<i>Melidectes leucostephes</i>	Papua endemic
Belford's Melidectes	<i>Melidectes belfordi</i>	New Guinea endemic
Yellow-browed Melidectes	<i>Melidectes rufocrissalis</i>	New Guinea endemic
Ornate Melidectes	<i>Melidectes torquatus</i>	New Guinea endemic
Western Smoky Honeyeater	<i>Melipotes gymnops</i>	Papua endemic
Smoky Honeyeater	<i>Melipotes fumigatus</i>	New Guinea endemic
Wattled Smoky Honeyeater	<i>Melipotes carolae</i>	Papua endemic
MacGregor's 'Bird of Paradise'	<i>Macgregoria pulchra</i>	New Guinea endemic
Brown-backed Honeyeater	<i>Ramsayornis modestus</i>	Resident
Rufous-banded Honeyeater	<i>Conopophila albogularis</i>	Resident
Blue-faced Honeyeater	<i>Entomyzon cyanotis</i>	Resident

Passeriformes > Pardalotidae > Acanthizinae > Sericornithini

Mouse-warblers, Scrubwrens (2 genera / 11 species)

Rusty Mouse-warbler	<i>Crateroscelis murina</i>	New Guinea endemic
---------------------	-----------------------------	--------------------

Bicolored Mouse-warbler	<i>Crateroscelis nigrorufa</i>	New Guinea endemic
Mountain Mouse-warbler	<i>Crateroscelis robusta</i>	New Guinea endemic
Beccari's Scrubwren	<i>Sericornis [beccarii] beccarii</i>	Resident
Perplexing Scrubwren	<i>Sericornis [beccarii] virgatus</i>	New Guinea endemic
Large Scrubwren	<i>Sericornis nouhuysi</i>	New Guinea endemic
Vogelkop Scrubwren	<i>Sericornis [rufescens] rufescens</i>	Papua endemic
Buff-faced Scrubwren	<i>Sericornis [rufescens] perspicillatus</i>	New Guinea endemic
Grey-green Scrubwren	<i>Sericornis arfakianus</i>	New Guinea endemic
Papuan Scrubwren	<i>Sericornis papuensis</i>	New Guinea endemic
Pale-billed Scrubwren	<i>Sericornis spilodera</i>	New Guinea endemic

Passeriformes > Pardalotidae > Acanthizinae > Acanthizini

Thornbills, Gerygones (2 genera / 9 species)

Papuan Thornbill	<i>Acanthiza murina</i>	New Guinea endemic
Mountain Gerygone	<i>Gerygone cinerea</i>	New Guinea endemic
Green-backed Gerygone	<i>Gerygone chloronotus</i>	Resident
Fairy Gerygone	<i>Gerygone palpebrosa</i>	Resident
Yellow-bellied Gerygone	<i>Gerygone chrysogaster</i>	New Guinea endemic
Large-billed Gerygone	<i>Gerygone [magnirostris] magnirostris</i>	Resident
Biak Gerygone	<i>Gerygone [magnirostris] hypoxantha</i>	Papua endemic
Brown-breasted Gerygone	<i>Gerygone ruficollis</i>	New Guinea endemic
Mangrove Gerygone	<i>Gerygone levigaster</i>	Resident

Passeriformes > Eopsaltriidae

Australo-Papuan Robins (12 genera / 24 species)

Greater Ground-robin	<i>Amalocichla sclateriana</i>	New Guinea endemic
Lesser Ground-robin	<i>Amalocichla incerta</i>	New Guinea endemic
Torrent Robin	<i>Monachella muelleriana</i>	Resident
Lemon-bellied Flyrobin	<i>Microeca flavigaster</i>	Resident
Yellow-legged Flyrobin	<i>Microeca griseiceps</i>	Resident
Olive Flyrobin	<i>Microeca flavovirescens</i>	New Guinea endemic
Canary Flyrobin	<i>Microeca papuana</i>	New Guinea endemic
Garnet Robin	<i>Eugerygone rubra</i>	New Guinea endemic
Alpine Robin	<i>Petroica bivittata</i>	New Guinea endemic
Snow Mountain Robin	<i>Petroica archboldi</i>	Papua endemic
White-faced Robin	<i>Tregellasia leucops</i>	Resident
Mangrove Robin	<i>Eopsaltria pulverulenta</i>	Resident
Black-chinned Robin	<i>Poecilodryas brachyura</i>	New Guinea endemic
Black-sided Robin	<i>Poecilodryas hypoleuca</i>	New Guinea endemic
Banded Robin	<i>Poecilodryas placens</i>	New Guinea endemic
Black-throated Robin	<i>Poecilodryas albonotata</i>	New Guinea endemic
White-winged Robin	<i>Peneothello sigillatus</i>	New Guinea endemic
Smoky Robin	<i>Peneothello cryptoleucus</i>	Papua endemic
Blue-grey Robin	<i>Peneothello cyanus</i>	New Guinea endemic
White-rumped Robin	<i>Peneothello bimaculatus</i>	New Guinea endemic
Ashy Robin	<i>Heteromyias albispecularis</i>	Resident
Green-backed Robin	<i>Pachycephalopsis hattamensis</i>	Papua endemic
White-eyed Robin	<i>Pachycephalopsis poliosoma</i>	New Guinea endemic
Northern Scrub-Robin	<i>Drymodes superciliaris</i>	Resident

Passeriformes > Orthonychidae

Logrunners (1 genus / 1 species)

New Guinea Logrunner	<i>Orthonyx [temminckii] novaeguineae</i>	New Guinea endemic
----------------------	---	--------------------

Passeriformes > Pomatostomidae

Australo-Papuan Babblers (1 genus / 2 species)

Rufous Babbler	<i>Pomatostomus isidorei</i>	New Guinea endemic
Grey-crowned Babbler	<i>Pomatostomus temporalis</i>	Resident

Passeriformes > Laniidae

True Shrikes (1 genus / 1 species)

Brown Shrike	<i>Lanius cristatus</i>	Vagrant
--------------	-------------------------	---------

Passeriformes > Corvidae > Cinclosomatinae

Quail-thrushes, Whipbirds, Jewel-Babblers (3 genera / 5 species)

Papuan Whipbird	<i>Androphobus viridis</i>	New Guinea endemic
Painted Quail-thrush	<i>Cinclosoma ajax</i>	New Guinea endemic
Spotted Jewel-Babbler	<i>Ptilorrhoa leucosticta</i>	New Guinea endemic
Blue Jewel-Babbler	<i>Ptilorrhoa caerulescens</i>	New Guinea endemic
Chestnut-backed Jewel-Babbler	<i>Ptilorrhoa castanonota</i>	New Guinea endemic

Passeriformes > Incertae sedis

Ifrit	<i>Ifrita kowaldi</i>	New Guinea endemic
-------	-----------------------	--------------------

Passeriformes > Corvidae > Pachycephalinae > Neosittini

Sittellas (1 genus / 2 species)

Varied Sittella	<i>Daphoenositta chrysoptera</i>	Resident
Black Sittella	<i>Daphoenositta miranda</i>	New Guinea endemic

Passeriformes > Corvidae > Pachycephalinae > Pachycephalini

Whistlers, Shrike-thrushes, Pitohuis, Wattled Ploughbill (7 genera / 25 species)

Mottled Whistler	<i>Rhagologus leucostigma</i>	New Guinea endemic
Goldenface	<i>Pachycare flavogrisea</i>	New Guinea endemic
Rufous-naped Whistler	<i>Aleadryas rufinucha</i>	New Guinea endemic
Island Whistler	<i>Pachycephala phaionotus</i>	Resident
Rusty Whistler	<i>Pachycephala hypervythra</i>	New Guinea endemic
Brown-backed Whistler	<i>Pachycephala modesta</i>	New Guinea endemic
Vogelkop Whistler	<i>Pachycephala meyeri</i>	Papua endemic
Grey Whistler	<i>Pachycephala simplex</i>	Resident
Golden Whistler	<i>Pachycephala pectoralis</i>	Resident
Sclater's Whistler	<i>Pachycephala soror</i>	New Guinea endemic
Lorentz's Whistler	<i>Pachycephala lorentzi</i>	New Guinea endemic
Black-tailed Whistler	<i>Pachycephala melanura</i>	Resident
Regent Whistler	<i>Pachycephala schlegelii</i>	New Guinea endemic
Golden-backed Whistler	<i>Pachycephala aurea</i>	New Guinea endemic
Black-headed Whistler	<i>Pachycephala [rufiventris] monacha</i>	New Guinea endemic
Sooty Shrike-thrush	<i>Colluricincla umbrina</i>	New Guinea endemic
Little Shrike-thrush	<i>Colluricincla megarhyncha</i>	Resident
Grey Shrike-thrush	<i>Colluricincla harmonica</i>	Resident
Variable Pitohui	<i>Pitohui kirhocephalus</i>	New Guinea endemic
Hooded Pitohui	<i>Pitohui dichrous</i>	New Guinea endemic
White-bellied Pitohui	<i>Pitohui incertus</i>	New Guinea endemic
Rusty Pitohui	<i>Pitohui ferrugineus</i>	New Guinea endemic
Crested Pitohui	<i>Pitohui cristatus</i>	New Guinea endemic
Black Pitohui	<i>Pitohui nigrescens</i>	New Guinea endemic
Wattled Ploughbill	<i>Eulacestoma nigropectus</i>	New Guinea endemic

Passeriformes > Corvidae > Corvinae > Corvini

Crows (1 genus / 3 species)

Brown-headed Crow	<i>Corvus fuscicapillus</i>	New Guinea endemic
Grey Crow	<i>Corvus tristis</i>	New Guinea endemic
Torresian Crow	<i>Corvus orru</i>	Resident

Passeriformes > Corvidae > Corvinae > Paradisaeini

Birds of Paradise, Melampitta (14 genera / 29 species)

Lesser Melampitta	<i>Melampitta lugubris</i>	New Guinea endemic
Greater Melampitta	<i>Melampitta gigantea</i>	New Guinea endemic
Yellow-breasted Bird of Paradise	<i>Loboparadisea sericea</i>	New Guinea endemic
Crested Bird of Paradise	<i>Cnemophilus macgregorii</i>	New Guinea endemic

Loria's Bird of Paradise	<i>Cnemophilus loriae</i>	New Guinea endemic
Glossy-mantled Manucode	<i>Manucodia atra</i>	New Guinea endemic
Crinkle-collared Manucode	<i>Manucodia chalybata</i>	New Guinea endemic
Jobi Manucode	<i>Manucodia jobiensis</i>	New Guinea endemic
Trumpet Manucode	<i>Manucodia keraudrenii</i>	Resident
Long-tailed Paradigalla	<i>Paradigalla carunculata</i>	Papua endemic
Short-tailed Paradigalla	<i>Paradigalla brevicauda</i>	New Guinea endemic
Black Sicklebill	<i>Epimachus fastuosus</i>	New Guinea endemic
Brown Sicklebill	<i>Epimachus meyeri</i>	New Guinea endemic
Black-billed Sicklebill	<i>Epimachus albertisi</i>	New Guinea endemic
Pale-billed Sicklebill	<i>Epimachus bruijnii</i>	New Guinea endemic
Superb Bird of Paradise	<i>Lophorina superba</i>	New Guinea endemic
Western Parotia	<i>Parotia sefilata</i>	Papua endemic
Carola's Parotia	<i>Parotia carolae</i>	New Guinea endemic
Magnificent Riflebird	<i>Ptiloris magnificus</i>	Resident
Magnificent Bird of Paradise	<i>Cicinnurus magnificus</i>	New Guinea endemic
Wilson's Bird of Paradise	<i>Cicinnurus respublica</i>	Papua endemic
King Bird of Paradise	<i>Cicinnurus regius</i>	New Guinea endemic
Arfak Astrapia	<i>Astrapia nigra</i>	Papua endemic
Splendid Astrapia	<i>Astrapia splendidissima</i>	New Guinea endemic
King-of-Saxony Bird of Paradise	<i>Pteridophora alberti</i>	New Guinea endemic
Twelve-wired Bird of Paradise	<i>Seleucidis melanoleuca</i>	New Guinea endemic
Red Bird of Paradise	<i>Paradisaea rubra</i>	Papua endemic
Lesser Bird of Paradise	<i>Paradisaea minor</i>	New Guinea endemic
Greater Bird of Paradise	<i>Paradisaea apoda</i>	New Guinea endemic

Passeriformes > Corvidae > Corvinae > Artamini

Butcherbirds, Australian Magpie, Woodswallows, Peltops (4 genera / 9 species)

Black-backed Butcherbird	<i>Cracticus mentalis</i>	Resident
Hooded Butcherbird	<i>Cracticus cassicus</i>	New Guinea endemic
Black Butcherbird	<i>Cracticus quoyi</i>	Resident
Australian Magpie	<i>Gymnorhina tibicen</i>	Resident
White-breasted Wood-swallow	<i>Artamus leucorhynchus</i>	Resident
Great Wood-swallow	<i>Artamus maximus</i>	New Guinea endemic
Black-faced Wood-swallow	<i>Artamus cinereus</i>	Vagrant
Lowland Peltops	<i>Peltops blainvillii</i>	New Guinea endemic
Mountain Peltops	<i>Peltops montanus</i>	New Guinea endemic

Passeriformes > Corvidae > Corvinae > Oriolini

Orioles, Cuckoo-shrikes, Trillers (4 genera / 17 species)

Brown Oriole	<i>Oriolus szalayi</i>	New Guinea endemic
Olive-backed Oriole	<i>Oriolus sagittatus</i>	Migrant
Green Oriole	<i>Oriolus flavocinctus</i>	Resident
Black-faced Cuckoo-shrike	<i>Coracina novaehollandiae</i>	Migrant
Stout-billed Cuckoo-shrike	<i>Coracina caeruleogrisea</i>	New Guinea endemic
Yellow-eyed Cuckoo-shrike	<i>Coracina lineata</i>	Resident
Boyer's Cuckoo-shrike	<i>Coracina boyeri</i>	New Guinea endemic
White-bellied Cuckoo-shrike	<i>Coracina papuensis</i>	Resident
Hooded Cuckoo-shrike	<i>Coracina longicauda</i>	New Guinea endemic
Slender-billed Cicadabird	<i>Coracina tenuirostris</i>	Resident/Migrant
Black-shouldered Cicadabird	<i>Coracina incerta</i>	New Guinea endemic
Grey-headed Cuckoo-shrike	<i>Coracina schisticeps</i>	New Guinea endemic
New Guinea Cuckoo-shrike	<i>Coracina melas</i>	New Guinea endemic
Black-bellied Cuckoo-shrike	<i>Coracina montana</i>	New Guinea endemic
Golden Cuckoo-shrike	<i>Campochaera sloetii</i>	New Guinea endemic
Black-browed Triller	<i>Lalage atrovirens</i>	New Guinea endemic
Varied Triller	<i>Lalage leucomela</i>	Resident

Passeriformes > Corvidae > Dicrurinae > Rhipidurini

Fantails (1 genus / 12 species)

Willie-wagtail	<i>Rhipidura leucophrys</i>	Resident
Northern Fantail	<i>Rhipidura rufiventris</i>	Resident
Sooty Thicket-Fantail	<i>Rhipidura threnothorax</i>	New Guinea endemic

Black Thicket-Fantail	<i>Rhipidura maculipectus</i>	New Guinea endemic
White-bellied Thicket-Fantail	<i>Rhipidura leucothorax</i>	New Guinea endemic
Black Fantail	<i>Rhipidura atra</i>	New Guinea endemic
Chestnut-bellied Fantail	<i>Rhipidura hyperythra</i>	New Guinea endemic
Friendly Fantail	<i>Rhipidura albolimbata</i>	New Guinea endemic
Mangrove Fantail	<i>Rhipidura phasiana</i>	Resident
Dimorphic Fantail	<i>Rhipidura brachyrhyncha</i>	New Guinea endemic
Rufous-backed Fantail	<i>Rhipidura rufidorsa</i>	New Guinea endemic
Rufous Fantail	<i>Rhipidura rufifrons</i>	Resident/Migrant

Passeriformes > Corvidae > Dicrurinae > Dicrurini

Drongos (2 genera / 2 species)

Pygmy Drongo	<i>Chaetorhynchus papuensis</i>	New Guinea endemic
Spangled Drongo	<i>Dicrurus bracteatus</i>	Resident

Passeriformes > Corvidae > Dicrurinae > Monarchini

Monarchs, Magpie-larks (5 genera / 23 species)

Black Monarch	<i>Monarcha axillaris</i>	New Guinea endemic
Rufous Monarch	<i>Monarcha rubiensis</i>	New Guinea endemic
Island Monarch	<i>Monarcha cinerascens</i>	Resident
Black-winged Monarch	<i>Monarcha frater</i>	Resident
Black-faced Monarch	<i>Monarcha melanopsis</i>	Migrant
Spot-winged Monarch	<i>Monarcha guttulus</i>	New Guinea endemic
Spectacled Monarch	<i>Monarcha trivirgatus</i>	Resident/Migrant
Kofiau Monarch	<i>Monarcha juliana</i>	Papua endemic
Hooded Monarch	<i>Monarcha manadensis</i>	New Guinea endemic
Biak Monarch	<i>Monarcha brehmii</i>	Papua endemic
Golden Monarch	<i>Monarcha chrysomela</i>	Resident
Frisled Monarch	<i>Arses [telescopthalmus]</i> <i>telescopthalmus</i>	Resident
Rufous-collared Monarch	<i>Arses [telescopthalmus] insularis</i>	New Guinea endemic
Biak Flycatcher	<i>Myiagra atra</i>	Papua endemic
Leaden Flycatcher	<i>Myiagra rubecula</i>	Resident
Broad-billed Flycatcher	<i>Myiagra ruficollis</i>	Resident
Satin Flycatcher	<i>Myiagra cyanoleuca</i>	Migrant
Restless Flycatcher	<i>Myiagra inquieta</i>	Resident
Shining Flycatcher	<i>Myiagra alecto</i>	Resident
Yellow-breasted Boatbill	<i>Machaerirhynchus flaviventer</i>	Resident
Black-breasted Boatbill	<i>Machaerirhynchus nigripectus</i>	New Guinea endemic
Magpie-lark	<i>Grallina cyanoleuca</i>	Resident
Torrent-lark	<i>Grallina bruijni</i>	New Guinea endemic

Passeriformes > Muscicapidae > Turdinae

True Thrushes (3 genera / 3 species)

Blue Rock-Thrush	<i>Monticola solitarius</i>	Vagrant
Bassian Thrush	<i>Zoothera [dauma] lunulata</i>	Resident
Island Thrush	<i>Turdus poliocephalus</i>	Resident

Passeriformes > Muscicapidae > Muscicapinae > Muscicapini

Old World Flycatchers (1 genus / 1 species)

Grey-streaked Flycatcher	<i>Muscicapa griseisticta</i>	Migrant
--------------------------	-------------------------------	---------

Passeriformes > Muscicapidae > Muscicapinae > Saxicolini

Chats (1 genus / 1 species)

Pied Bushchat	<i>Saxicola caprata</i>	Resident
---------------	-------------------------	----------

Passeriformes > Sturnidae > Sturnini

Starlings, Mynas (2 genera / 7 species)

Singing Starling	<i>Aplonis cantoroides</i>	Resident
Moluccan Starling	<i>Aplonis mysolensis</i>	Resident

Metallic Starling	<i>Aplonis metallica</i>	Resident
Long-tailed Starling	<i>Aplonis magna</i>	Papua endemic
Yellow-eyed Starling	<i>Aplonis mystacea</i>	New Guinea endemic
Golden Myna	<i>Mino anais</i>	New Guinea endemic
Yellow-faced Myna	<i>Mino dumontii</i>	Resident

Passeriformes > Hirundinidae > Hirundininae

Swallows (3 genera / 5 species)

Barn Swallow	<i>Hirundo rustica</i>	Migrant
Pacific Swallow	<i>Hirundo tahitica</i>	Resident
Red-rumped Swallow	<i>Cecropis daurica</i>	Migrant
Tree Martin	<i>Petrochelidon nigricans</i>	Migrant
Fairy Martin	<i>Petrochelidon ariel</i>	Vagrant

Passeriformes > Pycnonotidae

Bulbuls (1 genus / 1 species)

Sooty-headed Bulbul	<i>Pycnonotus aurigaster</i>	Introduced
---------------------	------------------------------	------------

Passeriformes > Cisticolidae

African Warblers (1 genus / 2 species)

Zitting Cisticola	<i>Cisticola juncidis</i>	Resident
Golden-headed Cisticola	<i>Cisticola exilis</i>	Resident

Passeriformes > Zosteropidae

White-eyes (1 genus / 5 species)

Lemon-bellied White-eye	<i>Zosterops chloris</i>	Resident
Black-fronted White-eye	<i>Zosterops [atrifrons] minor</i>	New Guinea endemic
Biak White-eye	<i>Zosterops mysorensis</i>	Papua endemic
Capped White-eye	<i>Zosterops fuscicapillus</i>	New Guinea endemic
New Guinea White-eye	<i>Zosterops novaeguineae</i>	New Guinea endemic

Passeriformes > Sylviidae > Acrocephalinae

Gray's Grasshopper-Warbler, Reed-Warblers, Leaf-Warblers (3 genera / 5 species)

Gray's Grasshopper-Warbler	<i>Locustella fasciolata</i>	Migrant
Oriental Reed-Warbler	<i>Acrocephalus [arundinaceus] orientalis</i>	Vagrant
Clamorous Reed-Warbler	<i>Acrocephalus [stentoreus] stentoreus</i>	Resident
Australian Reed-Warbler	<i>Acrocephalus [stentoreus] australis</i>	Migrant
Island Leaf-Warbler	<i>Phylloscopus [trivirgatus] poliocephalus</i>	Resident

Passeriformes > Sylviidae > Megalurinae

Grass-Warblers (1 genus / 4 species)

Tawny Grassbird	<i>Megalurus [timoriensis] timoriensis</i>	Resident
Papuan Grassbird	<i>Megalurus [timoriensis] papuensis</i>	New Guinea endemic
Fly River Grassbird	<i>Megalurus albolimbatus</i>	New Guinea endemic
Little Grassbird	<i>Megalurus gramineus</i>	Resident

Passeriformes > Alaudidae

Larks (1 genus / 1 species)

Australasian Lark	<i>Mirafrja [javanica] javanica</i>	Resident
-------------------	-------------------------------------	----------

Passeriformes > Nectariniidae > Nectariniinae > Dicaeini

Flowerpeckers (1 genus / 3 species)

Olive-crowned Flowerpecker	<i>Dicaeum [pectorale] pectorale</i>	Papua endemic
Red-capped Flowerpecker	<i>Dicaeum [pectorale] geelvinkianum</i>	New Guinea endemic
Mistletoebird	<i>Dicaeum hirundinaceum</i>	Resident

Passeriformes > Nectariniidae > Nectariniinae > Nectariniini

Sunbirds (1 genus / 2 species)

Black Sunbird	<i>Leptocoma sericea</i>	Resident
Olive-backed Sunbird	<i>Cimmyris jugularis</i>	Resident

Passeriformes > Melanocharitidae > Melanocharitini

Berrypeckers (1 genus / 6 species)

Obscure Berrypecker	<i>Melanocharis arfakiana</i>	New Guinea endemic
Black Berrypecker	<i>Melanocharis nigra</i>	New Guinea endemic
Lemon-breasted Berrypecker	<i>Melanocharis longicauda</i>	New Guinea endemic
Fan-tailed Berrypecker	<i>Melanocharis versteri</i>	New Guinea endemic
Streaked Berrypecker	<i>Melanocharis striativentris</i>	New Guinea endemic
Spotted Berrypecker	<i>Melanocharis crassirostris</i>	New Guinea endemic

Passeriformes > Melanocharitidae > Toxorhamphini

Longbills (2 genera / 4 species)

Green-crowned Longbill	<i>Toxorhamphus novaeguineae</i>	New Guinea endemic
Grey-winged Longbill	<i>Toxorhamphus poliopterus</i>	New Guinea endemic
Plumed Longbill	<i>Toxorhamphus iliolophus</i>	New Guinea endemic
Pygmy Longbill	<i>Oedistoma pygmaeum</i>	New Guinea endemic

Passeriformes > Paramythiidae

Painted Berrypeckers (2 genera / 2 species)

Tit Berrypecker	<i>Oreocharis arfaki</i>	New Guinea endemic
Crested Berrypecker	<i>Paramythia montium</i>	New Guinea endemic

Passeriformes > Passeridae > Passerinae

Sparrows (1 genus / 1 species)

Eurasian Tree Sparrow	<i>Passer montanus</i>	Resident
-----------------------	------------------------	----------

Passeriformes > Passeridae > Motacillinae

Wagtails, Pipits (2 genera / 4 species)

Yellow Wagtail	<i>Motacilla flava</i>	Migrant
Grey Wagtail	<i>Motacilla cinerea</i>	Migrant
Richard's Pipit	<i>Anthus novaeseelandiae</i>	Resident
Alpine Pipit	<i>Anthus gutturalis</i>	New Guinea endemic

Passeriformes > Passeridae > Estrildinae > Estrildini

Estrildine Finches (4 genera / 15 species)

Mountain Firetail	<i>Oreostruthus fuliginosus</i>	New Guinea endemic
Crimson Finch	<i>Neochmia phaeton</i>	Resident
Blue-faced Parrotfinch	<i>Erythrura trichroa</i>	Resident
Papuan Parrotfinch	<i>Erythrura papuana</i>	New Guinea endemic
Streak-headed Munia	<i>Lonchura [tristissima] tristissima</i>	New Guinea endemic
White-spotted Munia	<i>Lonchura [tristissima] leucosticta</i>	New Guinea endemic
Grand Munia	<i>Lonchura grandis</i>	New Guinea endemic
Grey-banded Munia	<i>Lonchura vana</i>	Papua endemic
Grey-crowned Munia	<i>Lonchura nevermanni</i>	New Guinea endemic
Hooded Munia	<i>Lonchura spectabilis</i>	Resident
Chestnut-breasted Munia	<i>Lonchura castaneothorax</i>	Resident
Black Munia	<i>Lonchura stygia</i>	New Guinea endemic
Black-breasted Munia	<i>Lonchura teerinki</i>	Papua endemic
Snow Mountain Munia	<i>Lonchura montana</i>	New Guinea endemic
Black-faced Munia	<i>Lonchura molucca</i>	Resident

References

- Beehler, B., Pratt, T. K. and Zimmerman, D. A. (1986). *Birds of New Guinea*. Princeton University Press: New Jersey.
- Diamond, J., Mauro, I., Bishop, K. D. and Wijaya, L. (2009). *The avifauna of Kofiau Island, Indonesia*. Bulletin British Ornithologists' Club 129:165-181.
- Mayr, E. (1941). *List of New Guinea Birds*. Amer. Mus. Nat. Hist. New York.
- Rand, A. L. and Gilliard, E. T. (1967). *Handbook of New Guinea Birds*. Weidenfeld & Nicholson: London.
- Sibley, C. G. and Monroe B. L. Jr. (1990). *Distribution and Taxonomy of Birds of the World*. Yale University Press: New Haven.
- Sibley, C. G. and Monroe B. L. Jr. (1993). *A Supplement to Distribution and Taxonomy of Birds of the World*. Yale University Press: New Haven.